

COSHH ASSESSMENT

Site:	LKL	Personnel Exposed:	Relief and Contract Milkers
Product ID:			
Substance Name:	Deosan D60	Substance Form:	Powder
Main Components of Substance:	Sodium Carbonate Sodium Hydroxide Sodium Dichloroisocyanurate dihydrate	Hazard:	Corrosive
Occupational Exposure Limit:	Short term (5min) 2mg/m ³	Task Substance is Used:	Cleaning and disinfectant
Exposure Routes:	Inhalation Skin Eyes	Quantity & Frequency of Use:	As and when required. Daily exposure possible.
Handling/Storage:	Use gloves and eye/face protection Wash hands thoroughly after use.		
Regulatory Information:	Corrosive Causes severe burns to eyes, skin and respiratory system		
Environmental Considerations/Hazards:	For small quantities dilute with water (5g/l) and release to sewer. Dispose of large quantities via an authorised waste disposal contractor as per Waste Regulations		
Existing Control Measures:	Relief employees issued with gloves, goggles and wear protective overalls		
Other Information:			
Level of Risk:	High	Monitoring Required:	
Date of Assessment:	28/07/05	Assessment Carried Out By:	Jane Eastham
Action Required:		Action to be Carried Out By:	Date Completed By:
Date of Re-assessment:		Completed By:	
Date of Re-assessment:		Completed By:	