

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

JohnsonDiversey JohnsonDiversey UK Limited

Weston Favell Centre Northampton NN3 8PD Tel 01604 405311 Fax 01604 406809 Emergency Call 0800 052 0185

Clearance Code

DEOSAN LOWCOUNT II

Product Code

633875

TO :

2. COMPOSITION / INFORMATION ON INGREDIENTS

CAS No	EINECS No		C: R35	(15-30%)
1310-73-2	215-185-5	Sodium Hydroxide (WEL)		

Ingredients according to EC 648/2004:

Less than 5% : Phosphonates, Polycarboxylates, Nonionic surfactants, Anionic surfactants

Full text of R-phrases is given in section 16.

3. HAZARDS IDENTIFICATION

Corrosive - causes severe burns.

This product contains a material with an WEL published in HSE document EH40.

4. FIRST AID MEASURES

Eyes : Rinse immediately with copious amounts of water for at least ten minutes, holding the eyelids open and obtain immediate medical attention.

Inhalation : Remove from source of vapour or spray mist and seek immediate medical attention.

Skin : Flush the contaminated area with running water, remove contaminated clothing and wash before re-use. Obtain immediate medical attention.

Ingestion : Remove product from mouth, give the casualty a small quantity of water to drink and obtain immediate medical attention. Do not induce vomiting.

5. FIRE FIGHTING MEASURES

NON FLAMMABLE - In the event of a fire due to other causes the product is compatible with water, foam, carbon dioxide and dry powder extinguishers. May evolve toxic fumes if involved in a fire. Firefighters should wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

6. ACCIDENTAL RELEASE MEASURES

Wear suitable gloves and eye/face protection. Hose away with plenty of water diluting to at least 0.5% w/v (5 g/litre) unless this would contaminate a water course or vegetation, in which case either collect, dilute as earlier and pour down wastewater drain (foul sewer) or absorb onto dry sand or similar material and dispose of to a licensed waste management company.

7. HANDLING & STORAGE

Do not breathe vapour or spray mist. Wear suitable gloves and eye/face protection. Do not mix with any other chemicals. Avoid contact with skin and eyes.

Store upright in original closed containers away from extremes of temperature. Keep out of reach of children.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Hand : Use gloves resistant to Sodium Hydroxide.

Eyes : When handling neat product wear eye/face protection to EN 166.

Skin : Wear protective overalls or bib resistant to alkalis.

Respiration : Personal protective equipment should only be considered where product containment or extract ventilation are impracticable, or for use in an emergency. For low levels of exposure (up to the maximum for which the respirator is designed) use a mask suitable for hazardous aqueous spray mists.