LKL

Risk Assessment – Power wash / Steam cleaning

Department:			LKL			Site:	Relief and Contract Farms	
							1	
Assessor:	Assessor: J Eastham					Assessment Date:	28/08/05	
						Reassessed:		
Task description						Power washing / steam cleaning		
Washing down the milking parlour, buildings and trailers using power washer or steam								
cleaner.								
Personnel Affected:								
Stock person								
Potential Hazards:						Control Measures:		
						Ensure all electrical equipment is well maintained and		
 Electric could cause shock. High temperature water could cause burns. 						functioning correctly 2. Relevant parts of the equipment to be guarded. Gloves		
3. Moving part within the machine could cause injury.						to be worn when required.		
 Slips, trips and Falls while washing the area could cause injury. The high pressure jet could cause bruising or injury. 						3. All moving parts to be enclosed and guarded.4. All personnel wear sound Wellington boots with good		
						tread. The work areas should be clean, clutter free and well maintained.		
						5. PPE provided including boots and gloves. Operators		
Probability: Severity:						Risk Factor: Residual Risk:		
Certain: Could happen	=4		Death	=4		Low: 1 to 3	4 – Med	
anytime Probable: Likely to	-		Serious temporary				. 1/100	
happen	=3		injury	=3		Medium: 4 to 7		
Possible: May happen	=2	X	Minor Injury	=2	X	High: 8 to 11		
Remote: Little or no chance of occurrence	=1		First Aid injury (small cuts, etc)	=1		Very High: 12 to 16		
Action Required & Target Dates/Other Comments:								